

HID® TRISM™ 7.x

Financial Instant Issuance

User Guide

Software Version: 7.0.5400.x
PLT-07642, Rev. A.4
February 2026



Copyright

© 2026 HID Global Corporation/ASSA ABLOY AB. All rights reserved.

This document may not be reproduced, disseminated, or republished in any form without the prior written permission of HID Global Corporation.

Trademarks

HID GLOBAL, HID, the HID Brick logo, the Chain Design, TRISM, OMNIKEY, HDP, DTC, DTCii Plus, and FARGO are trademarks or registered trademarks of HID Global, ASSA ABLOY AB, or its affiliate(s) in the US and other countries and may not be used without permission. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners.

Contacts

For technical support, please visit: <https://support.hidglobal.com>.

What's new

Date	Description	Revision
February 2026	Adds a subsection on inventory management of manually fed cards.	A.4

A complete list of revisions is available in [Revision history](#).

What is TRISM 7?	6
1.1 What is TRISM 7?	7
1.2 How to use this manual	7
1.3 TRISM 7 user interface	8
Request	9
2.1 Order Card	10
2.2 Edit Permissions	15
2.3 Re-PIN	16
2.4 Read a Card	16
2.5 PIN mailer	17
2.6 CVV2 Calculator	17
2.7 Import	18
Queue	19
3.1 Card queue	20
Reports	21
4.1 End Of Day	22
4.1.1 Tips for balancing end of day reports	23
4.1.2 Spoil cards	24
4.1.3 Spoil other	25
4.1.4 Manually Fed Cards	25
4.2 Management	25
4.2.1 Create a customized report	26
4.2.2 Filter columns	26
4.2.3 View card details	26
4.2.4 Save a customized report	26
4.2.5 Export a report to Excel	27
4.3 Historical Card Balancing	28
4.4 Device Access	28
4.5 Spoiled Card	28
4.6 Branch Activity	28
4.7 Device Error	28
4.8 Non-Financial	29
4.9 Background	29
4.10 Remove Cardholder Data	30
Inventory	31
5.1 Device Access	32
5.1.1 Add/remove cards	32
5.2 Printer cleaning	33

5.3 Vault Inventory	34
5.3.1 Add a vault	34
5.3.2 Delete a vault	35
5.3.3 Transfer cards - send cards	37
5.3.4 Transfer cards - receive cards	38
5.3.5 Low inventory alerts	39
Configure	42
6.1 General	43
6.2 Users	45
6.2.1 Add users (without active directory)	46
6.2.2 Edit users (without active directory)	46
6.2.3 Delete users (without active directory)	46
6.3 Templates	47
6.4 Formats	49
6.4.1 General Settings	49
6.4.2 Encode Settings	50
6.4.3 Emboss Settings	51
6.4.4 EMV	52
6.4.5 Mailers	53
6.4.6 Photo Settings	54
6.4.7 Card Status	56
6.4.8 Card Class	56
6.5 Devices	58
6.5.1 Add a printer or embosser	58
6.6 Active Directory	62
6.7 Branches	63
6.7.1 Add vaults to a branch	63
6.7.2 Add devices to a branch	65
6.7.3 Add PCs/users/ranges to a branch	66
6.7.4 Add BINs to a branch	66
6.8 Interfaces	67
6.8.1 Interface Settings	67
6.8.2 Interface BIN Settings	68
6.9 Databases	68
6.10 Card Stock	69
6.10.1 Card Stock ID	69
6.10.2 Card Stock to BIN	69
6.10.3 Card Stock to Vault/Device	70
6.10.4 Add a new BIN or card stock	70

6.11 Theme	71
6.12 Queue Setup	72
6.13 Regions	73
6.13.1 Add a region	74
6.13.2 Add a new branch to a region	74
6.13.3 Remove a branch from a region	76
Help	78
7.1 About	79
7.2 Support Documents	79
7.3 Data Log	80
7.4 Error Log	81
7.5 Client Information	82
7.6 Device Information	83
7.6.1 Upgrading the printer firmware	84
7.7 License	86
7.8 System Status	86
Reference	87
A.1 System requirements	88
A.2 Card layouts	89
A.3 Custom image guidelines	90
A.4 Permission descriptions	90
A.4.1 Security	90
A.4.2 Order cards	91
A.4.3 Queue	91
A.4.4 Reports	91
A.4.5 Inventory	93
A.4.6 Configure	94
TRISM Monitor Service	CR
B.1 Introduction	CS
B.2 HID TRISM Monitor Service configuration	CT
B.2.1 Required information	CT
B.2.2 Configuration	CT
B.3 Settings	CU

Section 01

What is TRISM 7?

1.1 What is TRISM 7?

TRISM™ 7 is a unique hardware and software system that provides all the tools needed for the creation and distribution of financial cards of any kind.

Initially introduced in the late 1990s, TRISM provides instant and central issuance of Visa and Mastercard credit and debit cards to financial institutions worldwide.

TRISM works seamlessly with the PCI-certified and listed Hardware Security Module (HSM Duo and HSM XT) to ensure complete privacy of cardholders' information.


From centrally issued, pre-printed cards to customer created cards available for immediate use, TRISM 7 boasts the versatility to meet any institution's most specific demands.

1.2 How to use this manual

The TRISM Administrator Manual is intended for use by TRISM installation and technical support only.

This manual is organized chronologically. First, you will find instructions for installation and configuration, then information pertaining to version updates or new service installation. The TRISM menus (Request, Queue, and so on.) follow this and provide general instructions on how to use each of these menus. Finally, the Appendix includes post-installation information such as Template permission descriptions and troubleshooting procedures.

1.3 TRISM 7 user interface



1. Quick launch toolbar.
2. Personal account menu.

Note: This is referred to as the **Personal icon** within this document.

3. Dual Control Login. Some TRISM features require a second user that is different than the user currently logged in (and with the appropriate permissions), to enter their login credentials.

Section 02

Request

2.1 Order Card

1. Interface search

- From the **Quick launch** toolbar, click **Order Card** or click the **Personal icon** > **Request** > **Order Card**.
- The Interface Search window is displayed. Select the appropriate BIN from the **Select Interface** drop-down menu.

The screenshot shows the 'Interface Search' window. At the top, a progress bar indicates four steps: 1. Select Card (active), 2. Select Background, 3. Personal Information, and 4. Print Card. The main content area is titled 'Interface Search' and contains three input fields: 'Select Interface' (dropdown menu showing 'PORTICO'), 'Select Search Type' (dropdown menu showing 'MEMBERNUMBER'), and 'Enter Search Criteria' (text box containing '719299'). At the bottom of the window, there are three buttons: 'Exit', 'Skip', and 'Search'.

- **If a core/processor interface is used:** select the interface, search by member or card number, and enter the member or card number. **If searching by card number**, the cardholder's information is populated in the information fields. **If searching by member number**, select the corresponding account in the bottom menu, then the account's information is populated in the information fields.
 - **If a core/processor interface is not used:** complete the address information, security information, and contact information fields. After step 3.c, click **Accounts** in the **Account Information** menu, then enter the **customer's account number** and **ChkSavDesignator**. One account must have **Primary** selected.
- Select the search type from the **Select Search Type** drop-down menu.
 - Enter the search criteria in the **Enter Search Criteria** drop-down menu.
 - Click **Search**.

2. The search results are displayed. Select the appropriate account number, then click **Select and Continue**.

1 Select Card 2 Select Background 3 Personal Information 4 Print Card

Bank Name 555555000340448 JIMMY NEWTOWN 03/26

Bank Name 5555560001313131 JIMMY NEWTOWN 03/25

Bank Name 5555560002234547 JEN BRADY 03/25

Bank Name 5555560004526434

Exit Back **Select and Continue**

3. Card information

1 Select Card 2 Select Background 3 Personal Information 4 Print Card

BIN Selection Portico

Card Class Selection

Card Information

Card Number 5555560002234547

Card Holder Name JEN BRADY

Prefix Suffix

Business Name

Expiration Date 1249

PIN Offset 2345 **Get PIN**

Image Selection Please Select a valid background. Cowboys

Flip Preview


Exit Back **Save and Continue**

- a. Select a BIN from the **BIN Selection** drop-down menu.
- b. Select a card class (if any) from the **Card Class Selection** drop-down menu.
- c. If not automatically generated, enter **Prefix/Suffix/Business Name** (if any) in the provided fields. Also enter the card's **Expiration Date**, if not automatically generated.
- d. Select a PIN method.

- e. Click **Get PIN**. The PIN is generated if specified, otherwise, the PIN pad beeps.

Note: The Verifone Vx805 and P200 PIN pads do not have the beep functionality.

- f. Enter the desired PIN on the PIN pad. Press the green **Enter** button. The PIN pad beeps again. Re-enter the PIN and press the green **Enter** button to confirm the PIN.
- g. The card's offset is displayed after the PIN is entered.
4. Personalizing and Previewing Cards – See section [A.3 Custom image guidelines](#) for image guidelines.
- a. Select a gallery image from the drop-down menu or click **Personalize**. If only one image is in the gallery destination folder, that image displays automatically.



- b. Click **Browse** and navigate to the folder containing the custom image.
- c. Select the image and click **Open**.
- d. To crop the image, click and drag an area on the image on the left.
- e. If applicable, select the desired template from the drop-down menu in the bottom left of the screen.
- f. Click **Save** when personalization is complete.
- g. Click **Back** to preview the backside of the card.

5. Job Information

Job Information

Printer Selection

Default Printer

Card Stock Selection

EMV

Job State

Paused

Card Status

New

- Select a printer from the **Printer Selection** drop-down menu.
 - Select a card stock from the **Card Stock Selection** drop-down menu.
 - Select a state from the **Job State** drop-down menu.
 - Ready:** card prints immediately upon completion.
 - Paused:** card does not print until state is changed to Ready in the Queue.
 - Manual:** card does not print until it is manually fed into printer (not available with all printers).
 - Select a card status from the **Card Status** drop-down menu.
- Click **Save and Continue**.
 - Fill in any missing Address Information.

Address

Address Line 1

555 MOBY LANE

Address Line 2

Address Line 3

FRISCO, TX 750340000

Address Line 4

Address Line 5

8. Fill in any Security Information.

Security Information

Mother's Maiden Name

Date of Birth

1/14/1950

SSN/TaxID

878752125

Driver's License

Misc 1

Misc 2

9. Fill in any contact information.

Contact Information

Phone 1
8009004545

Phone 2
0000000000

Phone 3

Phone 4

Email

10. Fill in any account information.

Account Information

Account 1
00000719299

Account 2
00000719299

Account 3

Account 4

Member Number
719299

Edit

11. Click **Save and Continue**.
12. Click **Go To Queue** to view the newly created card.

✓ Select Card ✓ Select Background ✓ Personal Information ✓ Print Card

5555560002234547
JEN BRADY
1249

5555 5600 0223 4547
VALID THRU 12/29
JEN BRADY

Go To Queue

2.2 Edit Permissions

The **Edit Permissions** window allows a user to make certain fields in the **Order Card** window editable or required.

On the main menu, click the **Personal icon > Request > Edit Permissions**. Select a card type to edit its permissions.

In the following screen, the fields highlighted in yellow have editable permissions.

The screenshot shows the 'Edit Permissions' window with the following sections and fields:

- Search:** Search Criteria (highlighted), Search button.
- Card Information:** Select Product, Card Number, Select Card Stock, Cardholder Name (highlighted), Business Name (highlighted), Exp. Date, PSN, PSN, Offset (highlighted), Get PIN, PIN Method.
- Image Selection:** Loading... dropdown, Personalize button.
- Job Information:** Select Job Type, Select Device, Select Card Status, Select Job State, Select Vault, Order Card button, Close button.
- Address Information:** Foreign checkbox, Address 1 (highlighted), Address 2 (highlighted), City, State, Zip, Country, Misc (highlighted).
- Security Information:** Mother's Maiden Name (highlighted), Date of Birth (highlighted), SS# / Tax ID (highlighted), Drivers License, Misc. Data 1 (highlighted), Misc. Data 2 (highlighted).
- Contact Information:** Phone Number 1, Phone Number 2, Phone Number 3, Phone Number 4, Email (highlighted).
- Account Information:** Account (highlighted), Account (highlighted), Account (highlighted), Account (highlighted), Member Number (highlighted).

You can change the colors of the **Editable**, **Required** and **Single Required** fields in **6.11 Theme**.

The screenshot shows the 'Card Information' section with a tooltip indicating the permissions for the 'Cardholder Name' field:

- ☒ IsEditable
- ☒ IsRequired
- ☐ isSingleRequired

- **IsEditable:** enables input of text.
- **IsRequired:** field must be filled to complete request.
- **isSingleRequired:** one out of all Single Required fields per panel must be completed.

For example, in the Security Information panel, **Mother's Maiden Name**, **SS#/Tax ID**, and **Drivers License** are single required, so one of these three fields must be completed to process the request.

Security Information

Mother's Maiden Name

State of Birth

SS# / Tax ID

Drivers License

Misc. Data 1

Misc. Data 2

IsEditable

IsRequired

isSingleRequired

2.3 Re-PIN

- On the main menu, click the **Personal icon > Request > Re-PIN**.
 - If the PINpad has a card reader, a window prompts you to swipe the card to re-PIN.

Warning

Swipe Card

Cancel

- If a card reader is not used or the card is not available, the **Order Card** form is displayed for card number information entry.
- Select the PIN method, enter or generate the PIN.
 - Click **Complete**.

2.4 Read a Card

On the main menu, click the **Personal icon > Request > Read a Card**.

If a PINpad with a card reader or USB card reader is detected, you can swipe a card to display its track data (Card Number, Format Code, Expiration Date, and so on).

Field Name	Data	
Format Code	B	
Card Number	5555560002234547	
Name	^BRADY/JEN	
Expiration Date	2006	
Service Code	101	
Member Number	1	
Offset	3386	
Misc. Data	0000000000	
CVV	123	
Misc. Data	000000	

2.5 PIN mailer

On the main menu, click the **Personal icon** > **Request** > **PIN Mailer**. A PIN mailer can be printed from this window if one is not printed at the time of card creation.

- In the **Search** area of this window,
 - In the first drop-down box, select an **Interface** (if there is more than one available).
 - In the second drop-down box select a **Search Criteria Type** (if there is more than one available).
 - In the **Search Criteria** field, enter the required information and click **Search**.
- In the **Card Information** area of this window, select the desired card number to populate the customer information.
- Click **Print Mailer**.


2.6 CVV2 Calculator

- On the main menu, click the **Personal icon** > **Request** > **CVV2 Calculator**.
- Verify the keys entered in HSM Manager are correct.

- Enter the BIN, card number, and expiration date of an existing card.
- Click **Calculate**. If the CVV2 on the card and the generated CVV2 match, the keys are correct.

2.7 Import

1. On the main menu, click the **Personal icon > Request > Import > Standard** (or an alternative).



2. Click **Browse** to select your import file.
3. Click **OK**.

A list of failed cards shows in the list view with the error per card. Any card not in this list view is successful and in the queue depending on your format settings.


Section **03**

Queue

3.1 Card queue


The queue displays all cards that have been ordered and have not yet printed.

On the main menu, click **Queue**.



ID	Card Type	F..	Process State	Originating IP	Originating...	User ID	CIIN	Device IP	L..	User ...	BranchID	Entry Date
94	5. Portico 2	5	Mailer Error	10.0.75.1	Default Vault	access1	2431	10.244.69.89:7575	0	access1	Central	6/15/2018
95	5. Portico 2	5	Photo Printer Error	10.244.69.72	Default Vault	Access1	2432	10.244.69.89:7575	0	Access1	Eden Prairie	6/21/2018
96	4. Portico 1	4	Photo Printer Error	10.244.69.72	Default Vault	access1	2433	10.244.69.89:7575	0	access1	Eden Prairie	6/21/2018
97	5. Portico 2	5	Photo Printer Error	10.244.69.72	Default Vault	access1	2435	10.244.69.89:7575	0	access1	Eden Prairie	6/21/2018
98	5. Portico 2	5	Photo Printer Error	10.244.69.72	Default Vault	access1	2436	10.244.69.89:7575	0	access1	Eden Prairie	6/21/2018
99	7. Card Services Test	7	Ready Photo	10.244.69.72	Default Vault	access1	2437	10.244.69.89:7575	0	access1	Eden Prairie	6/21/2018

Double-click an item in the queue to display the Card Information window:



Card Information

Device Name: DTCii
 Device IP Address: 10.244.69.89:7575
 Change Card Status: New

Change Job Status:
 Change CardStock: Sample Test

Card Number: 555556002234547
 Entry Date: 6/21/2018 11:31:20 AM
 Format: 5. Portico 2
 Transaction Type: Print-a-Card

☒ Print Card Mailer ☒ Print PIN Mailer

Current Background: custom image
 New Background:
 Error Code:
 OK Cancel Print Report

Note: If a Card Information window is open at another workstation or branch, the card cannot be printed, deleted, or changed. In the process state in the queue, this shows as "Trism locked".


- **Change Job Status** allows you to select the card status as ready photo, paused photo, manual photo, or card verified.
- To delete a card from the queue, select it and press **Delete** on your keyboard.

Section 04

Reports

Field	Description
Device Inventory	
Starting Inventory	Quantity of cards in device at the beginning of the day (only greater than zero if cards are not removed at end of previous day).
Inventory Added	Quantity of cards added to device throughout the day.
Inventory Removed	Total quantity of cards removed from vault device.
Manually Added	Quantity of cards inserted manually into the printer using the exception feed slot.
Used Inventory	Quantity of cards not destroyed or returned to inventory; successfully printed cards issued to customers.
Cards Destroyed	Quantity of cards destroyed in the Spoil Card menu.
Cards Returned to Inventory	Quantity of cards returned in the Spoil Card menu.
Ending Device Inventory	Sum of the above quantities.
Vault Inventory	
Starting Vault Inventory	Quantity of cards in vault since last processed end-of-day.
Removed to Device(s)	Quantity of cards added to devices in Device Access.
Returned from Device(s)	Quantity of cards removed from devices via Device Access and returned to vault.
Current Vault Inventory	Quantity of cards in vault.
Total Cards in Device(s)	Quantity of cards in all devices.
Total Branch Inventory	Sum of cards in devices and vault(s).

If the Ending Device Inventory and/or Total Cards in Device(s) is greater or less than zero, the following window is displayed:



- Click **Yes** to process End-of-Day.
- Click **No** to return to the End-of-Day Report screen.


4.1.1 Tips for balancing end of day reports

- Balance the end-of-day report every day. Never start the day with a device inventory greater or less than zero.
- Do not wait until the end of the business day to spoil cards. Spoil them as soon as they are incorrectly printed. Otherwise, it is easy to lose track of misprinted cards and causes difficulty balancing the end of day report.
- Use the Device Access function to account for added or removed cards even if the device is unlocked manually. Not using Device Access is a guaranteed way to end the day with a negative device inventory.
- The queue should be empty at the end of day. All cards in the queue should either be printed and verified or deleted.

4.1.2 Spoil cards

A misprinted card that cannot be issued is considered "spoiled." A spoiled card is highlighted in red.

- Right-click a card in the **End of Day** report:



- Select **Spoil This Card** to display the following window:

Spoil Card

ID

Card Number

Description

Reason

Operator 1

access1

Operator 2

installer1

☐ Return to Inventory

Time: 11:06:42 AM

☐ Card Successful

Date: 2/5/2025

☐ Card Destroyed

Number of Cards to Spoil:

1

OK

Cancel

Time and Date Added


- Enter a description of the spoiled card and the reason for spoilage. Select from the following options:

Field	Description
Return to Inventory	The card was ejected clean/unencoded and can be used again. Will add 1 back into Vault Inventory.
Card Successful	The card did print or a card was accidentally printed. Subtracts 1 from Vault Inventory.
Card Destroyed	The card was damaged during printing or was destroyed after printing. Subtracts 1 from Vault Inventory.

- Click **OK**.

4.2.1 Create a customized report

1. Select which columns are printed by right-clicking anywhere in the card information field and then selecting **Add/Remove Columns**.
2. Select or clear the boxes to display columns. To change the column order, select a column name and click the up or down arrows.



3. Click **Save** to apply your changes, then click **Search** to apply them.
If this does not change the default column view, select a date range in which transactions were processed.

4.2.2 Filter columns

1. Select a column field from the first **Filter** drop-down menu.
2. Enter the filter criterion in the field below (only one criterion per filter). Filters must match the intended field name exactly.

Note: Only one filter field is initially enabled. The following filters are enabled once preceding filters are designated.

3. Click **Search** to apply the specified filters.


4.2.3 View card details

Right-click a card and select **Details**.

4.2.4 Save a customized report


Click **Save**.

- To save over an existing saved report, click **OverWrite**.
- To save a new report, click **Save AS**.



4.2.5 Export a report to Excel

1. Click **Export**.
2. Enter a filename in the **FileName** field, then click **Browse** to select a location to save the file.
3. Click **OK**.



The screenshot shows a standard Windows-style dialog box titled "Export Report". It has a blue header bar with standard window controls (minimize, maximize, close). The dialog contains two text input fields. The first field, labeled "FileName", contains the text "Management Report 2018/06/18". The second field, labeled "Directory", contains the text "D:\Reports". To the right of the "Directory" field is a "Browse" button. At the bottom of the dialog are two buttons: "OK" and "Cancel".

4.3 Historical Card Balancing

Reports summarizing cards printed per branch, device, card stock, and/or operator can be printed.

1. On the main menu, click **Reports > Historical Card Balancing**.

2. Select a date range, branch, vault, device, and/or product in the drop-down menus to narrow the search.
3. Click **Search** to generate the historical report.

Reset Date/Time changes the start and end dates to the current date.

4.4 Device Access

On the main menu, click the **Personal icon > Reports > Device Access** to display a list of all device access activity for a specified printer/embosser within a specified date range.

4.5 Spoiled Card

On the main menu, click the **Personal icon > Reports > Spoiled Card** to create a report of all spoiled cards for a specified branch within a specified date range.

4.6 Branch Activity

On the main menu, click the **Personal icon > Reports > Branch Activity** to create a report of all cards printed at the branch in which the workstation creating the report is located.

4.7 Device Error

On the main menu, click the **Personal icon > Reports > Device Error** to create a report of all device errors for a specified printer within a specified date range.

4.8 Non-Financial

Displays TRISM activity per PC Operator, User ID, TRISM ID, Event, Result, IP Address, Branch, or Computer Name.

1. On the main menu, click the **Personal icon** > **Reports** > **Non-Financial**.
2. Select a field in the top row of drop-down menus, then select or manually enter search criteria in the drop-down menu below it.
3. Click **Search** to display results.

ID	PC Operator	User ID	Time	Event	Result	IP Address	Branch	Computer Name	S...
704	Administrator	access1	2/4/2025 4:05:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
703	Administrator	access1	2/4/2025 4:05:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
700	Administrator	access1	2/4/2025 3:21:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
699	Administrator	access1	2/4/2025 3:21:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
682	Administrator	null	1/30/2025 1:15:00 PM	Server Configuration/PIK Saved	Success	10.236.16.103		USEULDEVSM01	null
569	Administrator	access1	1/22/2025 2:06:00 PM	25 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
568	Administrator	access1	1/22/2025 2:06:00 PM	15 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
567	Administrator	access1	1/22/2025 1:45:00 PM	25 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
566	Administrator	access1	1/22/2025 1:45:00 PM	15 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
565	Administrator	access1	1/22/2025 1:45:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
564	Administrator	access1	1/22/2025 1:45:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
563	Administrator	access1	1/22/2025 1:45:00 PM	25 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
562	Administrator	access1	1/22/2025 1:45:00 PM	15 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
561	Administrator	access1	1/22/2025 1:37:00 PM	25 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
560	Administrator	access1	1/22/2025 1:37:00 PM	15 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
559	Administrator	access1	1/22/2025 1:34:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
558	Administrator	access1	1/22/2025 1:34:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
555	Administrator	null	1/22/2025 10:52:00 AM	Server Configuration/PIK Saved	Success	10.236.16.103		USEULDEVSM01	null
450	Administrator	access1	1/10/2025 11:51:00 AM	25 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
449	Administrator	access1	1/10/2025 11:51:00 AM	15 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
448	Administrator	access1	1/10/2025 11:50:00 AM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
447	Administrator	access1	1/10/2025 11:50:00 AM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
395	Administrator	access1	1/7/2025 4:08:00 PM	50 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
394	Administrator	access1	1/7/2025 4:08:00 PM	20 Licenses Saved to T-Host!	Success	10.236.16.103	Central Branch	USEULDEVSM01	null
393	Administrator	access1	1/7/2025 4:07:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null
392	Administrator	access1	1/7/2025 4:07:00 PM	Valid Operator Login	Success	10.236.16.103		USEULDEVSM01	null

4.9 Background

On the main menu, click the **Personal icon** > **Reports** > **Background** to display a list of all background images printed within a specified date range.

4.10 Remove Cardholder Data

Customers may wish to have their data removed from the system, especially in cases of General Data Protection Regulation (GDPR). To remove data from the system, use the Customer Information Section from the database.

To enable this feature, you must access the permissions and select the **Customer Removal** check box. Once this feature is enabled, you can access the **Customer Removal** screen to remove all records or specific records from the database.

1. Select the **Personal icon > Reports > Remove Cardholder Data**.
2. On the **Customer Removal** screen you can search all records or a specific record.
 - To search all records, leave the **Name** field blank and click **Search**.
 - To search for a specific name, enter the first, middle, and last name in the **Name** field and click **Search**. Any information that matches the search criteria is displayed.
3. Select the records you wish to remove and click **Delete**. The user information is removed, and the screen is refreshed with a new list of applicable search criteria.

Important: The record of the transaction remains in the database but all information pertaining to the customer is removed. This includes photo information.

Section 05

Inventory

5.1 Device Access

5.1.1 Add/remove cards

Each time a printer or embosser is opened, it must be accounted for in the Device Inventory.

1. On the main menu, click the **Personal icon** > **Inventory** > **Device Access**, or click [Device Access](#).

Device

Branch

Central Branch

▼

Vault

Default Vault

▼

Device

HDPII Plus2

▼

Card Stock

EMV

▼

Reason:

Enter or Choose a Reason

▼

Description:

Enter or Choose a Description

▼

Current Quantity:

0

Number of Cards:

☐ Add

☐ Remove

Inventory

Time Delay

▼

☒ Unlock Device

Clean

Cancel

Process

2. The **Branch**, **Vault**, and **Device** defaults to whatever values were assigned to the branch. Select other values if necessary.
3. If adding or removing cards, select **Card Stock**.
4. Select **Add** or **Remove**. Selecting **Remove** automatically generates a reason, description, and number of cards.
5. Enter a **Reason** for opening and a **Description** of the actions performed or choose a reason and description from the drop-down menus.
6. Enter the **Number of Cards** to add or remove, if any.
7. Select a time delay for unlocking the device. Longer delays should be used if the device is not near the workstation.
8. Click **Process**.

Warning


Device has been updated

OK

5.2 Printer cleaning

1. On the main menu, click the **Personal icon** > **Inventory** > **Device Access**, or click **Device Access**.
2. On the **Device Access** screen, click **Clean**.
3. Follow the instructions provided in the text box at the top of the **Printer Cleaning** screen.

Note: The cleaning instructions are specific to each printer type.



4. Repeat as many times as necessary to completely clean the printer.
5. When finished, click **Exit**.

5.3.2 Delete a vault

1. Detach the vault to be deleted from any branches and printers.
2. From the quick launch toolbar, select **Vault** and log in with Dual Control when prompted.
3. Select the central Vault/Vault to be deleted.

TRISM 7

Branch Name: Central Branch User: access1 - [Vault Tracking]

HID

Order Card Re-PIN Queue End of Day Vault Device Access Log Out

Central Vault

Name/Location	
central v	

Add Central

Send Cards

In-Transit Carrier

Destination	# of Cards	Description

View All

Delete

Receive Cards

Vault

Name/Location	
Default Vault	
Dev Vault	
Hurst Vault	
New Vault1	
New Vault2	
TestBranch	

Add Location

Branch

Name :

Hurst Vault

Address 1 :

Address 2 :

City :

State :

Zip :

Update Information

Description	Number of Cards	Min. Quantity
EMV	51	0
EMV2	3	0

Add


Edit

Delete


Print Inventory

Exit

4. Select each cardstock entry and click Delete.



5. Right-click on the vault to be deleted and click **Delete**.



The vault is removed from the list.

5.3.3 Transfer cards - send cards

1. Select a central vault, then click **Send Cards**.
2. Select the recipient branch's vault from the **Send To** drop-down menu.
3. Enter the **Carrier Name**, **Number of Cards** to send, and any additional comments.
4. Select the type of cards stock to send.
5. Click **Send**.

6. The shipment order is displayed under the **In-Transit Carrier** menu.

Central Vault

Name/Location
Central

< III >

Add Central

Send Cards

In-Transit Carrier

Destination	# of Cards	Description
Default Vault	10	EMV

< III >

View All

Delete

Receive Cards

Vault

Name/Location
Default Vault

Add Location

Send Cards to a Branch

Send To :

Carrier Name :

Number of Cards :

Comments :

Description	Number of Cards
EMV	zxcvxzcvxv
Sample Test	10000
Blank White	2000

Send

Cancel

Exit

5.3.4 Transfer cards - receive cards

1. Select the received order under the **In-Transit Carrier** menu.

2. Click **Receive Cards**, then **Process**.

The order is removed from the In-Transit Carrier menu and the cards are added to the vault inventory.

Recieve Cards

Branch Name : Default Vault

Carrier Name : FedEx

Product ID : Blank White

Number of Cards : 200

Comments :

Name 1 : access1

Name 2 : installer1

Sent : 6/5/2015 8:58:49 AM


Received : 06/05/2015 8:59 AM

Process

Cancel

5.3.5 Low inventory alerts


If TRISM is used for tracking inventory, the TRISM client can be set up for low inventory warnings. These warnings are displayed upon login. Low inventory alerts notify you when the branch vault is running low on card stock. You can set the inventory levels for each individual vault location. Then, in the User Template, you can enable the alerts. When the low inventory levels are set up and enabled, the following warning is displayed:



Note: To set up the low inventory alerts you must have a Dual Control user ready with the same permissions.

1. Log in to TRISM with a user account that has the necessary permissions to access and edit vaults.
2. On the main menu, select **Vault** and log in with a Dual Control user when prompted.

3. The Vault information is displayed. Select a Vault location.



- The Branch information is displayed and the current minimum number of cards remaining before the alert is enabled is displayed in the **Min. Quantity** column.

The screenshot shows the TRISM 7 Vault Tracking interface. The top navigation bar includes links for Order Card, Re-PIN, Queue, End of Day, Vault, and Device Access. The main content area is divided into three sections: Central Vault, In-Transit Carrier, and Vault. The Central Vault section shows a list of vaults with columns for Name/Location and a search bar. The In-Transit Carrier section shows a table with columns for Destination, # of Cards, and Description. The Vault section shows a list of vaults with columns for Name/Location, Default Vault, and a search bar. Below these sections is a Branch information form with fields for Name, Address 1, Address 2, City, State, and Zip. To the right of the branch form is a table with columns for Description, Number of Cards, and Min. Quantity. The table contains one row for EMV with 0 cards and a minimum quantity of 0. Buttons for Add, Edit, Delete, and Print Inventory are located below the table. An Exit button is at the bottom right.

- To edit the minimum number of cards remaining before the alert, double-click the card stock name or select the card stock name and click **Edit**.

The screenshot shows the Edit Stock window. It has a Select Card Stock dropdown menu with EMV selected. To the right of the dropdown is a Quantity field with the value 3. Below the dropdown is a Comments field. A red box highlights the Minimum Number for Alert field, which has a value of 5. At the bottom of the window are Update and Cancel buttons.

- The Edit Stock window is displayed. Enter a number or use the up and down arrows to increase or decrease the **Minimum Number for Alert** and click **Update**.
- Repeat these steps for each vault and card stock.

Section 06

Configure

6.1 General

On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **General**.

90

Days until Password is Expired

☐ Enable Pin Pad Warning on Login

☒ Enable Weak PINS

Minutes before Lockout

15

0 is Off

Interface Timeout (In Seconds):

90

Pin Pad Timeout getting Offset (in sec) :

10

Pin Pad Derivation Key Location:

TESTBDK1

Pin Pad Session Expiration in days:

NA

Pin Pad Encryption Key Location:

999

Update File Location:

...

Citrix

Per User

Entire System

☐ Citrix Force

☐ Allow Spoilable and Reprint

☐ Enable Auto Swipe on Repin

☐ DO NOT Show Active Cards in Order Card

☐ Enable Auto Search on Repin

☐ Enable Dual Control on Process End of Day

☐ Enable PSN Increment on Order Card

Import

Export

OK

Cancel

Field	Description
Days until Password is Expired	Applies only to non-Active Directory users. User passwords are valid for this number of days. Users are prompted to select a new password upon expiration.
Enable Pin pad Warning on Login	Display warning message that no PIN pad is plugged in to the computer upon TRISM login.
Enable Weak PINS	If checked, weak PINs (1111, 1234, 4321, and so on.) are allowed.
Minutes before Lockout	After the specified number of minutes, the user must re-enter login credentials to continue using TRISM. Must be same user that is currently active, otherwise TRISM must be restarted to log in as a different user.
Pin Pad Derivation Key Location	Numerical location of PIN Pad Derivation Key in HSM Manager.
Pin Pad Timeout getting Offset	After PIN is entered: if offset is not generated after the specified number of seconds, PIN pad times out.
Update File Location	Where TRISM update files are downloaded.
Citrix	Per User: Select port if assigned per user. Entire System: Select port if assigned for entire system.

Field	Description
Allow Spoilable and Reprint	When the card status is changed to Ready in the Queue, a message box asks if a card has already been printed from the specified request. If yes, another transaction is created that may be spoiled.
DO NOT Show Active Cards In Order Card	If using an interface to find customer information, only the customer's inactive or expired cards will populate in the search results.

6.2 Users

The following user configuration is not used when **Active Directory** is enabled, except for the administrative users **access1**, **installer1**, and **installer2**.

On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Users**.

ID	Name	Template	SL	Locked
Access1	Administrator	Administrator	9	False
installer1	installer 1	Admin 2	9	False
installer2	installer 2	Admin 2	9	False
newuser1	new user	Admin 2	9	False
newuser2	new user2	No Access	1	False

Print Rights

Add

Edit

Delete

Print User Templates

Import

Export

OK

Cancel

Field	Descriptions
Print Rights	Print a list of all the selected user’s template permissions.
Print User Template	Print a list of all TRISM users and their corresponding templates.

6.2.1 Add users (without active directory)

1. Click **Add**, and enter the user ID, Name, and select a template.
2. Click **Save**.

New user password selection

When you log in as a new user, you must use the default password **1234567**. When you click **Login**, a window opens and prompts you to change your password.

Enter the new password and click **OK**. You must then enter your new password in the login screen. There is a minimum requirement of 12 characters for passwords. The password strength meter indicates the strength of the password. Point values are assigned to the characters and the meter updates as characters are entered or deleted. Point values are noncumulative for each case. Point values are:

- Capital letters: 2 points
- Lowercase letters: 2 points
- Numbers: 1 point
- Special characters (!@#\$%^&*): 3 points
- Length of at least 12 characters: 5 points
- Length greater than 15 characters (not cumulative with length at least 12 characters): 10 points

As point values are accumulated, the strength of the password is measured in colors on the strength meter. Point values are scored as:

- Up to 5 points: Very weak (red)
- Between 6 and 10 points: Weak (orange)
- Between 10 and 15 points: Good (yellow)
- Greater than 15 points: Very strong (green)

Alternatively, users can be entered using the Active Directory function.

6.2.2 Edit users (without active directory)

Select a user and click **Edit**. Make the desired changes and click **Save**.

6.2.3 Delete users (without active directory)

Select a user and click **Delete**.

6.3 Templates

A template can be used to automatically assign a user a specific set of permissions. See section [A.4 Permission descriptions](#) for permission descriptions. The administrator template cannot be edited or deleted.

On the main menu, click the **Personal icon > Configure**. On the side menu, click **Templates**.

ID	Name	
Administrator	Administrator	
Template 1	Admin 2	
Template 2	Backoffice	
Template 3	Inventory Control	
Template 4	Central Reporting	
Template 5	Teller	
Template 6	No Access	

Print Rights

Add

Edit

Delete

Import

Export

OK

Cancel

Field	Description
Print Rights	Print a list of all user permissions associated with the selected template.
Add	Add new templates.
Edit	Enable or disable permissions of the selected template.
Delete	Delete a User Template from the list. Only templates added by the financial institution can be deleted. Administrator, Admin 2, Backoffice, Inventory Control, Central Reporting, and Teller cannot be deleted.

Each template, with the exception of **Administrator**, can be edited by selecting the template from the list and clicking **Edit**. Each of the options in this menu opens a list of permissions that can be enabled and disabled by clicking their respective check boxes.

The screenshot shows a software window titled "Security". On the left is a tree view with the following items: "Security" (highlighted), "Order Cards", "Queue", "Reports", "Inventory", and "Configure". The main area of the window contains the following fields and options:

- Template Name: A text box containing "Admin 2".
- Template Security Level: A dropdown menu showing "9".
- A list of permissions, each with a checkbox:
 - ☒ Edit Security Template (Add/Edit/Delete)
 - ☒ Edit Security Permissions
 - ☒ View all Branches
 - ☐ Log Into Thost
 - ☒ License File
 - ☒ Reset Other User Passwords

6.4 Formats

Card types (for example, Mastercard, Visa, Visa EMV, and so on.) are added in the **Formats** menu. Card and mailer formats can also be edited in the **Formats** menu to customize placement of text and pictures.

On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.

Number	Name	BIN	
1	ATM	123456	
2	Consumer	222456	
3	Business	222789	
4	Visa Debit	555555	
5	Portico	555556	
6	Master Card Debit	899999	
7	Visa Credit	333456	
8	Master Card Credit	444789	

Add
Edit
Copy
Delete

To add a card type:

1. Click **Add**.
2. Enter the card's **ISO** or **BIN** number, then select or manually enter the **Card Type**.
3. Click **OK**.

Add ISO

New ISO

555555

Card Type

Portico 1

OK

Cancel

6.4.1 General Settings

To display the general settings:

1. On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.
2. Select a card type in the list and click **Edit**.
3. On the side menu, click **General Settings**.

BINs cannot be added to branches until their formats are completed.

Transaction Report

Printer:

Additional Transaction Report Directory:

Browse

☐ Show PSN

Field	Description
Print Report for Every Queued Transaction	All transactions sent to the queue print a hard-copy report to the printer selected in the drop-down menu.
Additional Transaction Report Directory	All items in the selected folder are printed in addition to transaction reports.
Show PSN	Shows the PSN control on the Order Card screen. Some financial institutions will need to manually update the PSN. Other financial institutions will wish to hide this control.

6.4.2 Encode Settings

The **Encode Settings** determine the information and placement of information written to the cards' magnetic stripe. To display the encode settings:

1. On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.
2. Select a card type in the list and click **Edit**.
3. On the side menu, click **Encode Settings**.

Track 1/Track 2 Layout

Format: Card Type:

Order	Length	Name	Index From	Start	Default
1	1	Format Code	SS	0	B
2	16	Card Number	SS	1	1234567890123456
3	26	Name	1st FS	0	
4	4	Expiration ...	2nd FS	0	4912
5	3	Service Code	2nd FS	4	120
6	1	Member Nu...	2nd FS	7	1
7	4	Offset	2nd FS	8	0000
8	0				
9	0				
10	0				

Track Length: 55 (Max: 79)

1. To edit the settings, double-click the field to be changed to display the following window:

Edit Layout

Field Name	Index From	Start	Length
Format Code	SS	0	1
Data			
B			
OK		Cancel	

2. Click **OK** when editing is completed.

Track 1/Track 2 Parameters

ISO Number: 123456

Card

16 Account Length

18 Name Index

☒ Offset Written

☒ No Mod10

☐ Calc. Mod10

☐ Verify Mod10

Expiration

0 Date Index

00/00 Date to Add

☒ None

☐ Month

☐ Year

Method

Algorithm

DES

Mag Stripe

☐ Low Coercivity

☐ High/Low Coercivity

☒ High Coercivity

DES

☒ Use DES

0 PAN Index

16 PAN Length

0 Pad Value

0 GPIN Index

8 Offset Index

01 Des Key

0123456789012345 Decimalization Table

Auto Card Number

Card numbers can be generated automatically by TRISM in the **Auto Card Number** menu. Check the **Enable Auto Card Number Generation** box to edit card number settings.

☐ Enable Auto Card Number Generation.

Auto Card Number

Beginning Card Number

Current Card Number

ISO: 123456

0000000000

0

Increment By: 0

☒ Allow Name Change

Name Options

Customer's name will be encoded in the following format

Lastname/Firstname Middle

Allow Name Change on the following Transactions

☒ Re-Pin

☒ Select A Pin

Field	Description
Beginning Card Number	First card number used.
Current Card Number	Last card number printed.
Increment By	Determines by what increment card numbers increase.
Allow Name Change on the following Transactions	Allows modification to an existing customer's name.

6.4.3 Emboss Settings

To display the emboss settings:

- On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.
- Select a card type in the list and click **Edit**.

- On the side menu, click **Emboss Settings**.

Indents and Embossing

Locked

Line 1

0.9

Line 2

0.68

Line 3

0.52

%DATE% %V%

Line 4

0.35

%NAME%

Line 5

0.21

Left Margin

0.40

From left to center of first character

Enable Indent Printing

Indent Printing

Indent Print Mask

XXXX XXXX XXXX XXXX X

Font Type

Type 4 (MC)

Indent from edge of card

1.200

Height of Indent Printing

1.200

Disable Truncation Rules

Truncation Limit

26

Topping

Use Masking

Masking

####

Field	Description
Indents and Embossing	Enter the size of the indentation applied to text on the card.
Use Masking	Check this box to hide certain lines of text from displaying on the Order Card window when cards are being created.
Disable Truncation Rules	Customer names are not shortened automatically.
Topping	Check this box if topping foil is used on embossed card text.

6.4.4 EMV

To display the EMV service code, which indicates that the card is an EMV chip card.

- On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.
- Select a card type in the list and click **Edit**.

- EMV Service Code

201

Certificates

KeyName	Serial Number	ExpDate
---------	---------------	---------

Import

Delete

6.4.5 Mailers

To display the Mailers settings:

- ☐ **Print Card Mailer**

Card Mailer

☐ Use MSWord Mail Merge

Template File

Browse

Printer:

☐ **Print PIN Mailer**

PIN Mailer

☐ Use MSWord Mail Merge

☐ Calc Natural PIN

☐ Print Return Address

☐ TRISM Sets PIN Mailer Form size (3 7/8" X 8 7/8")

Template File

Browse

Printer:
- Auto Select Option
- ☒ None ☐ Card Mailer ☐ PIN Mailer ☐ Both

Field	Description
Print Card Mailer	Enables printing of mailers upon card print.
Use MSWord Mail Merge	Use mailer templates from Microsoft Word documents.
Print PIN Mailer	Enables printing of mailers upon card print.
Use MSWord Mail Merge	Use mailer templates from Microsoft Word documents.
Calc Natural PIN	Automatically generate a PIN for which the offset is 0000. When this is not enabled, the offset is determined based on a randomly generated PIN.
Print Return Address	Include the branch's address on the PIN mailer.
Auto Select Option	Specifies a default mailer option, so the teller does not have to make a manual selection each time.

6.4.6 Photo Settings

Configure .xml files, card number layout, photo IDs, and custom backgrounds. To display the photo settings:

1. On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Formats**.
2. Select a card type in the list and click **Edit**.
3. On the side menu, click **Photo Settings**.

General

☒ Format Creates a printed Card

Use Single Template

Template Directory

☒ File Name

Default Background

Template Parameters

☒ Track 1 Data + Track 2 Data
 ☒ Print Bin
 ☒ Print Exp. Date
 ☒ Print Full Name
 ☐ Print Misc1
 ☒ Print CVV2
 ☐ Print Last 4
 ☐ Print Business

Card Number Printing

☐ No Masking
 ☒ Masked Card Number
 ☐ Use Alt. Mask

Template Options (Use Names from the Options)

☐ Photo
 ☒ Background
 ☐ MiddleName
 ☐ FirstName
 ☐ LastName

Field	Description
Use Single Template	
Template Directory	Sets the image gallery location. Click Browse . The file location should be accessible to every user. It is recommended the image gallery is saved in a folder with a name matching the BIN, within the specified card type folder. For example: \\Server Name\Images\Card Type\BIN
Default Background	Select a background image to automatically populate the Order Card screen.

Field	Description
Card Number Printing	
No Masking	Select for 18-digit cards to disable spacing between numbers.
Masked Card Number	Separate a 16-digit card number into 4 blocks of 4 digits.
Use Alt. Mask	Enter a string of "#" signs consistent with the desired spacing of card digits.

Template Parameters and Template Options

Check the fields that the card format .xml file contains.

Template Parameters

☒ Track 1 Data + Track 2 Data
 ☒ Print Bin
 ☒ Print Exp. Date
 ☒ Print Full Name
 ☐ Print Misc1
 ☒ Print CVV2
 ☐ Print Last 4
 ☐ Print Business

Advanced

From the **File Naming Convention** drop-down menu, select which cardholder information indicator is used to name the image files.

File Naming Convention

BIN_Last4CN

▼

☒ Enable Background Selection

☒ Enable Custom Backgrounds
 Custom Background Search Path

Browse

File Storage Path

☒ Enable Photo ID

Height

1

Width

1

☒ Aspect
 ☐ Fixed

Set

File Storage Path

☒ Default Display on Background Preview Screens To Show Front

CARDNUMBER

▼

BIN_Last4CN

CARDNUMBER

MEMNUM_SSN

SSN

LAST5

MISC1_MISC2

MEMNUM_LAST5

BIN_LAST5

BIN4_LAST5

BIN7_MEM_LAST5


BINLAST5

BINLAST5SSMEMNUMBER


BIN_LAST5SS_MEMNUMBER

Field	Description
Enable Background Selection	Enable the gallery card selection drop-down menu in the Order Card screen. Enable Custom Backgrounds: Show the Personalize button in the Order Card screen. Custom Background Search Path: Folder in which custom backgrounds will be saved.
Enable Photo ID	Show Take Photo button in the Order Card screen.

1. Click **Add** and enter the card class name. Click **OK**.



2. In Windows Explorer, navigate to the BIN template directory. Create a folder with a name that exactly matches the card class name.



3. Add the desired image and xml file to the card class folder. If using different xml files for each image, add all necessary xml files.
4. If another BIN is using the same card class, copy the card class folder and paste it in the other BIN folder. It is important that each card class folder is updated when the contents of one is modified.

6.5 Devices

The **Devices** tab displays a list of all printers and embossers configured with TRISM.

On the main menu, click the **Personal icon > Configure**. On the side menu, click **Devices**.

Device License Allowed: 25

Device License Used: 5

License Device

Index	Name	Address	Port	ServiceIP & Port
1	HDPII Plus2	10.236....	1234	10.236.19.195 1234
2	Dev 600ii 89	10.236....	443	10.236.19.195 1234
3	Dev DTCii Plus	10.244....	443	0.0.0.0 1234
4	DTCii Plus 135	10.236....	443	0.0.0.0 1234
5	HDPII Plus1	10.236....	443	10.236.19.195 1234

Add

Edit

Delete

Each device must be licensed. For instructions on adding a device license, see section [7.7 License](#).

An unlicensed device is highlighted in red. Select the device from the Devices list and click **License Device**.

5	Unlicensed Device	10.244.69.1	1212	10.244.69.32 1234
---	-------------------	-------------	------	-------------------

A licensed device is highlighted in blue.


4	Default Printer	10.244... 9955	10.244.69.138 ...
---	-----------------	----------------	-------------------

6.5.1 Add a printer or embosser

1. Install the printer according to the manufacturer's instructions.
2. In the TRISM 7 **Devices** window, click **Add**.

3. If the printer is accessed via a network or wireless connection, select **Network**.

4. Enter the printer **Name**, **IP Address**, a **Port** unique to the printer, **Type** (photo printer, embosser), and UNC path of the **Card Mailer** printer (if applicable).
5. Set the **Horizontal** and **Vertical Alignment** fields to **6** (HDPii Plus printers only).
6. Ensure the **Page Height** is **213** and the **Page Width** is **338**.
7. If an embosser is being used, select the desired options in the **Options** area:
- **Secure Mode**: Enter embosser's data encryption key to encrypt information sent to embosser.
 - **Extended Errors**: View a detailed log of any embosser errors.
 - **Topper**: Check if a foil topping is imprinted on card numbers and names.
 - **Auto Verify**: After a card is printed, it is automatically verified that it has printed correctly. This is recommended when printing large quantities of cards.
 - **Read First**: Not used.
 - **Batch**: Not used.
8. When all required information has been added, click **OK**.



9. Restart Card Printer Service after adding, deleting, or changing a device.

Job Settings for HDP600ii Printer

Additional job settings can be configured for the HDP600ii printer.

1. In the TRISM 7 **Devices** window, click **Job Settings**.

2. The following form is displayed to adjust the settings for the HDP600ii printer.

Field	Description
Image Transfer Premium Mode	When this option is selected, you can specify the type of card used in the printer. When the Card Type is selected, the Transfer Dwell Time Front , Transfer Dwell Time Back , and Image Transfer Temperature Offset settings are automatically set to the optimum values. If this field is not selected, these settings are not applied.
Transfer Dwell Time Front	Sets the speed at which the card moves through the transfer section in the printer. This setting affects the front of the card transfer speed.
Transfer Dwell Time Back	Sets the speed at which the card moves through the transfer section of the printer. This setting affects the back of the card transfer speed.
Image Transfer Temperature Offset	Sets the temperature of the transfer roller when applying the film to the card.
Dye Sub (YMC) Temperature Offset	Controls the temperature of the print head when printing the Yellow, Magenta, and Cyan panels onto the card. Increase the setting to darken the image and decrease the setting to lighten the image.
Resin (K) Temperature Offset	Controls the temperature of the print head when printing the black resin panel onto the card. Increase the setting to darken the image and decrease the setting to lighten the image.
MultiPass Front	When enabled, a second layer of film is applied to the front of the card. This should not be used if the inhibit panel is being used on the front of the card.
MultiPass Back	When enabled, a second layer of film is applied to the back of the card. This should not be used if the inhibit panel is being used on the back of the card.

Job Settings for DTCii Plus Printer

Additional job settings can be configured for the DTC®ii Plus printer.

- In the TRISM 7 **Devices** window, click **Job Settings**.

- The following form is displayed to adjust the settings for the DTCii Plus printer.

Field	Description
Dye Sub (YMC) Temperature Offset	Controls the temperature of the print head when printing the Yellow, Magenta, and Cyan panels onto the card. Increase the setting to darken the image and decrease the setting to lighten the image.
Resin (K) Temperature Offset	Controls the temperature of the print head when printing the black resin panel onto the card. Increase the setting to darken the image and decrease the setting to lighten the image.
Overlay (O) Temperature Offset	Controls the temperature of the print head when applying the overlay material onto the card.

6.6 Active Directory

All users that are part of a network **Active Directory** can be automatically entered in TRISM. If Active Directory is enabled, user names and passwords cannot be changed using TRISM 7. The computer in use must be part of a domain, not a work group. If the computer is part of a work group, do not change any active directory settings.

On the main menu, click **Configure**. On the side menu, click **Active Directory**.

When Active Directory is enabled, the only non-active directory logins that may be used are:

- Access1
 - Installer1
 - Installer2
1. Check **Enable Active Directory**. TRISM 7 automatically searches and enters the domain name.
 2. Click **Get Domain Groups** to display all groups in the Users window.
 3. Select a group in the **Users** window and choose a template from the drop-down menu.
 4. Click **Set** to save the template to the selected domain group.

The domain group selected is displayed in the **Template Group** field.

☒ Enable Active Directory

☐ Use Nested Groups

☐ Use Secure Authorization (New Method)

Domain

ad.global

Get Domain Groups

Settings

Users

Template

Template Group

Set Clear

Previous Groups

Import Export OK Cancel

6.7 Branches

Each branch must be licensed. For instructions on adding a branch license, see section [7.7 License](#).

- On the main menu, click the **Personal icon > Configure**. On the side menu, click **Branches**.

Branch License Allowed: 15

Branch License Used: 3

License Branch

BranchID	Branch Name
Central	Central Branch
East Side	East Side
West Side	West Side

Add

Edit

Delete

Quick Add

- Select an unlicensed branch highlighted in red and click **License Branch**. A licensed branch is highlighted in blue.

6.7.1 Add vaults to a branch

- Select a branch and click **Edit**.
- Click **Add** under the list of **Vaults**.

Branch ID

Central

Address 1

City

Branch Name

Central Branch

Address 2

State

Zip

Vaults

Description

central v

Default Vault

Dev Vault

Hurst Vault

< >

Add

Remove

Devices

Description

Dev 600i 89

Dev DTCi Plus

DTCi Plus 135

< >

Make Default

Add

Remove

PCs/Users/Ranges

Description

USEULL-F926SL3

< >

Add

Remove

BINS

Description

1. ATM

2. Consumer

3. Business

4. Visa Debit

5. Portico

6. Master Card Debit

7. Visa Credit

8. Master Card Credit

< >

Add

Remove

* Yellow Background on a Device Notes it is the Default Printer for this Branch.

OK

Cancel

PLT-07642, A.4

63

February 2026

3. Click **Add New**. Dual control is enforced for accessing vaults, so a second user must enter their login credentials.

Description	
central v	
central vault	
Default Vault	
Dev Vault	
Hurst Vault	
New Vault 1	
New Vault2	
TestBranch	

Add New

OK

Cancel

4. To add a central vault (the vault in which inventory is usually stored for distribution to branches), click **Add Central**. To add a non-central vault (no inventory is taken from a non-central vault and sent to other branches), click **Add Location**.
5. Enter the vault name and location, then click **OK**.
6. To add card stock to a vault, select the vault and click **Add**.
7. Select the card stock to add, enter the quantity of cards, and any comments required by your financial institution. Click **Add**.

Add Stock

Select Card Stock

Blank White

Quantity

400

Comments

Added 6/26/2018 by John Smith

Add

Cancel

8. The vault inventory is updated.

Branch

Name :

New Vault

Address 1 :

123 Main St

Address 2 :

City :

Anyville

State :

MN

Zip :

10203

Update Information

Description	Number of Cards
Blank White	400

Print Inventory


Add

Edit

Delete

6.7.2 Add devices to a branch

1. Select a branch and click **Edit**.
2. Click **Add** under the list of devices.




Description	
Dev 600ii 89	
Dev DTCii Plus	
DTCii Plus 135	

Make Default

AddRemove

3. Select an existing device and click **OK** or click **Add New** to set up a new device. For more information, see section [6.5.1 Add a printer or embosser](#)



Description	
Dev 600ii 89	
Dev DTCii Plus	
DTCii Plus 135	
HDPii Plus1	
HDPii Plus2	

Add NewOKCancel


Note:

To make one of the devices in the list a default device for the branch, select the device from the list and click **Make Default**. That device now has a yellow background.

6.7.3 Add PCs/users/ranges to a branch

The following procedure is used only to add users when **Active Directory** is enabled.

1. Select a branch and click **Edit**.
2. Click **Add** under the **PC's/Users/Ranges** list.




3. Select the method and enter the PC Name, IP Address/Range, or User Name, and click **OK**.

6.7.4 Add BINs to a branch

Before adding BINs to a branch, the BINs must be set up. See section [6.4 Formats](#).

The following procedure is used only if different branches use different BINs. If all branches use the same BINs, do not add BINs to any branches. When the BINs list is blank, the branch automatically displays all BINs when ordering a card.

1. Select a branch and click **Edit**.
2. Click **Add** under the **BINS** list.



3. Select a BIN and click **OK**.

6.8 Interfaces

6.8.1 Interface Settings

Interface settings and values are determined by each individual interface and are generally not edited by financial institution personnel.

On the main menu, click the **Personal icon > Configure**. On the side menu, click **Interfaces**.

General

Users

Templates

Formats

Devices

Active Directory

Branches

Interfaces

Interface Settings

Interface Bin Settings

Databases

Regions

CardStock

Theme

Queue Setup

Crystal Reports

Reporting Service

Interface

Calculation Service

Setting	Value
Core1Enabled	N
Core1IP	10.0.0.1
Core1Port	10001
Core2Enabled	N
Core2IP	10.0.0.1
Core2Port	10002
Demo Mode	N
ENABLEXT	Y
VerboseLogging	N

Add

Edit

StockName	StockQualifier

Add

Edit

Delete

Import

Export

OK

Cancel

6.8.2 Interface BIN Settings

Interface BIN settings determine what actions can be performed by each BIN. Interface BIN settings and values are determined by each individual interface and generally not edited by financial institution personnel.

On the main menu, click the **Personal icon > Configure**. On the side menu, click **Interfaces > Interface BIN Settings**.

General

Users

Templates

Formats

Devices

Active Directory

Branches

Interfaces

Interface Settings

Interface Bin Settings

Databases

Regions

CardStock

Theme

Queue Setup

Crystal Reports

Reporting Service

Interface

Card Printer Service

Bin

123456

Setting	Value
ALT_MSD_IMK_AC_Key_Lo...	
DontActivate	N
DontAdd	N
DontRelssue	N
DontRePIN	N
DontSearch	N
Enabled	Y
IMK_MDK_ENC_Key_Locat...	
IMK_MDK_Key_Location	9

Add

Edit

Import

Export

OK

Cancel

6.9 Databases

Change logging options for SQL databases.

On the main menu, click the **Personal icon > Configure**. On the side menu, click **Databases**.

Logs

Days to Keep:

30

Purge Time: (24h Format)

02:00

6.10 Card Stock

On the main menu, click the **Personal icon** > **Configure**. On the side menu, click **Card Stock**.

6.10.1 Card Stock ID

To add different card stocks to the inventory menus:

1. Enter the new card stock ID (may be alphanumeric) and description in the fields.
2. Select **EMV** if the card has a chip. Select **ISMultOS** if the card has Chip Card Plug In (CCPI). Click **Add**.

Card Stock ID	Card Stock Description	EMV	ISMultOS
001	EMV Debit	☒	☐
123	EMV	☒	☐
456	EMV2	☒	☐
789	EMV3	☒	☐
EMV02	Blue Debit	☒	☐
EMV03	Purple Debit	☒	☐

Card Stock ID

Card Stock Description

☐ EMV
 ☐ MultOS

Add

Delete

6.10.2 Card Stock to BIN

To set the BIN number to be printed on each card stock type:

1. Select the card stock in the drop-down menu.
2. Select the BIN in the drop-down menu, then click **Add**.

Card Stock Description	BIN / ISO	Default
EMV	123456	☐
EMV	222456	☐
EMV	222789	☐
EMV	555555	☐
EMV Debit	555556	☐

Set Default

Remove

Select CardStock

Select BIN / ISO

Add

6.10.3 Card Stock to Vault/Device

Track the addition of card types to printers and embossers.

- Select the vault that contains the card stock to be added, then select the card stock from the drop-down menu.
 - Select the printer or embosser to which card stock is to be added.
 - Select the card stock default state/status. Select the card stock default state/status. The default selections are:
 - Ready:** the card prints immediately upon completion.
 - Paused:** the card does not print until the state is changed to Ready or Manual in the Queue.
 - Manual:** the card does not print until it is manually fed into the printer using the exception feed slot. This is not available on some printer models.
 - Click **Add**, then **OK**.

Select Vault

▼

Card Stock ID	Card Stock Description	Device	State	Hopper

Select Card Stock

▼

Remove

Select Device

▼

Hopper

▼

State

▼

Add

6.10.4 Add a new BIN or card stock

- If adding a new BIN, add a new format (see section [6.4 Formats](#)).
 - Add a new card stock ID (see section [6.10.1 Card Stock ID](#)).
 - Link the new card stock ID to the appropriate BIN (see section [6.10.2 Card Stock to BIN](#)).
 - If you are using different BINs for different branches, add the BIN to the branch (see section [6.7.4 Add BINs to a branch](#)). If you are using the same BINs for all branches, go to the next step.
 - Add card stock to the branch vault (see section [6.7.4 Add BINs to a branch](#)).
 - Link the new card stock to the vault and device (see section [6.10.3 Card Stock to Vault/Device](#)).
 - Card stock can be added to devices in Device Access (see section [5.1 Device Access](#)).

6.11 Theme

Allows you to customize the text box color of the **Edit Permissions**, **Order Card**, and **Re-PIN** menus.

Click **Select** to choose a color, then click **OK** to apply changes.

Order Card/Repin

Required		Select
Editable		Select
Single Required		Select

6.12 Queue Setup

Change the order in which columns are displayed in the Queue.

- On the main menu, click the **Personal icon > Configure**. On the side menu, click **Queue Setup**.
- Select a field and click the arrows to change its order.

Note: The ID field must be first and must be checked.

- Clear the check box to hide the field in the Queue.
- Click **Save**.

☒ ID

☒ StockID

☒ Card Type

☒ ProductID

☒ Format Number

☒ Card Status

☒ Process State

☒ Encode Name

☒ Originating IP

☒ Cardnumber

☒ Originating Bank ID

☒ Pin Mailer

☒ User ID

☒ Card Mailer

☒ CIN

☒ Name

☒ Device IP

☒ DeviceState

☒ LinkID

☒ RequestName

☒ User Name

☒ JobKeyID

☒ BranchID

☒ Entry Date

☒ CurrentTask

☒ Index

☒ Card Mailer Printed

↑

↓

* ID is Required as First Column

Save

Queue Refresh Time


10

↑

↓

* Minimun 5 Seconds

2. On the Edit screen, click **Add**.
3. From the list, select the branch to add to the region and click **Add**.



The image shows a dialog box titled "Regional Branches" with a standard Windows-style title bar (minimize, maximize, close buttons). Inside the dialog, there is a list box containing the following items: "Branch", "East Side", "West Side", "South Side", "North Side", and "Central Branch". Below these items are several empty rows in the list. At the bottom right of the dialog, there are two buttons: "Add" and "Cancel".

Branch
East Side
West Side
South Side
North Side
Central Branch

Add Cancel

6.13.3 Remove a branch from a region

1. On the Regions configuration screen, select a region and click **Edit**.

☒ Enable Regions

Region ID	Region Name	
01	South Region	
002	North Region	

Add

Edit

Delete

- Regional Branches

Branch

East Side

West Side

South Side

North Side

Central Branch

Add

Cancel

Section 07


Help

7.1 About

View the version of TRISM 7 currently installed.

On the main menu, click the **Personal icon** > **Help** > **About**.

To view TRISM data and error logs, click **Log Directory**.



7.2 Support Documents

View TRISM support documents such as the user manual and daily procedures.

7.3 Data Log

View the log of all actions performed by third party services.

- On the main menu, click the **Personal icon > Help > Data Log**.
- Select the dates to search by in the **Start Date** and **End Date** drop-down menus.
- Select the service in which to view the log.
- Logs can be queried using search terms with the AND, OR, and NOT filter expressions. To utilize this feature, enter the desired words into the search field and click **Search**.

Start Date

Sunday

December

1, 2024

End Date

Tuesday

February

18, 2025

Calculation Service

Search

500

Rows

TimeStamp	Message	Assembly	Data
02/13/2025 01:50:35.381 ...	Environment set to TRISM XT due to ...	Calculat...	
02/13/2025 01:50:35.381 ...	Service initialization successful.	Calculat...	
02/13/2025 01:48:22.893 ...	Service stopping.	Calculat...	
02/07/2025 08:00:52.004 ...	Environment set to TRISM XT due to ...	Calculat...	
02/07/2025 08:00:52.004 ...	Service initialization successful.	Calculat...	
02/06/2025 01:36:56.255 ...	Service stopping.	Calculat...	
02/06/2025 10:56:43.637 ...	Environment set to TRISM XT due to ...	Calculat...	
02/06/2025 10:56:43.637 ...	Service initialization successful.	Calculat...	
01/07/2025 04:07:43.149 ...	Service stopping.	Calculat...	
01/07/2025 03:06:05.559 ...	[XT][PollForJobs] ERROR ENCOUN...	Calculat...	Message: Object reference not set to an instance of an object.Line number: 0
01/07/2025 03:06:04.840 ...	Environment set to TRISM XT due to ...	Calculat...	
01/07/2025 03:06:04.840 ...	Service initialization successful.	Calculat...	
12/30/2024 01:21:37.324 ...	[XT][OpenConnection] XT XTENDPO...	Calculat...	
12/30/2024 01:21:37.324 ...	[XT][CloseConnection] XTENDPOINT...	Calculat...	

Source

Date/Time:

TimeStamp

Priority

PriorityLvl

Severity:

SeverityLvl

Machine Name:

Machine Name

Purge

Export

OK

Button	Description
Purge	Deletes the log.
Export	Exports log to a notepad file.

7.4 Error Log

View the log of all errors encountered by third party services.

- On the main menu, click the **Personal icon > Help > Error Log**.
- Select the dates to search by in the **Start Date** and **End Date** drop-down menus.
- Select the service in which to view the log. Click **Search**.
- Logs can be queried using search terms with the AND, OR, and NOT filter expressions. To utilize this feature, enter the desired words into the search field and click **Search**.
- Click **Purge** to delete the log.

Start Date

Sunday

December

1, 2024

End Date

Tuesday

February

18, 2025

Card Printer Service

Search

500

Rows

TimeStamp	Message	Assembly	Source	TargetS...	Data
12/30/2024 12:00:24.172 ...	Encoun...	Card Pri...	HID.FIL...	HID.FIL...	Encountered error while starting service. Service stopping. Calculation Service must b
12/06/2024 01:48:44.270 ...	THE SE...	Card Pri...	HID.FIL...	Void Lo...	THE SERVICE HAS REACH AN UNHANDLED EXCEPTION AND IS CLOSING
12/06/2024 01:47:40.347 ...	There is...	Card Pri...	HID.FIL...	Void Lo...	There is already an open DataReader associated with this Connection which must be c
12/06/2024 01:47:40.331 ...	A secon...	Card Pri...	HID.FIL...	HID.FIL...	A second operation started on this context before a previous operation completed. Thi
12/06/2024 01:44:02.669 ...	A secon...	Card Pri...	HID.FIL...	HID.FIL...	A second operation started on this context before a previous operation completed. Thi
12/06/2024 01:43:13.761 ...	A secon...	Card Pri...	HID.FIL...	HID.FIL...	A second operation started on this context before a previous operation completed. Thi

Source

Date/Time: TimeStamp

Source: Source

Target: Target

Machine Name: Machine Name

Purge

Export

OK

7.5 Client Information

On the main menu, click the **Personal icon > Help > Client Information**.

Client Information displays a list of each TRISM workstation and the following information associated with each workstation:

- User ID
- TRISM Version
- Last Login
- Last Logout
- PIN Pad Serial Number

7.6.1 Upgrading the printer firmware

To upgrade the printer to a new firmware version, you need to have the firmware file on the system running the TRISM Client.

1. Select the printers to be updated and click **Add**. The selected printers are added to the update list that is displayed in the lower table.

Device Name	Device IP	Service IP	Film	Ribbon	Firmware Version	Service Build	Serial Number
HDP600i Branch 1	10.236.16.200:0	10.236.16.73	94%	85%	8.1.1.7	1.0.0.110	B9151242
HDP600i Branch 2	10.236.16.201:0	10.236.16.73	67%	47%	8.1.1.7	1.0.0.110	C0020423
HDP600i Branch 3	10.236.16.202:0	10.236.16.73	35%	94%	8.1.1.7	1.0.0.113	C0020638
DTCi Plus Branch 4	10.236.16.203:0	10.236.16.73		82%	2.0.18.1	1.0.3.252	C0020538
DTCi Plus Branch 5	10.236.16.204:0	10.236.16.73		86%	2.0.18.1	1.0.3.252	C0018568

Add

Remove

Device Name	Device IP	Update Status
DTCi Plus Branch 4	10.236.16.203:0	
DTCi Plus Branch 5	10.236.16.204:0	

Location of Firmware File:


...

Upgrade

OK

2. Select the firmware file to install on the printers. Click ... (Browse) to navigate to the firmware file on the TRISM Client.

3. Select the firmware file to install and click **Open**.




4. Once the printers and firmware are selected, click **Upgrade** to begin the upgrade.

Note: During the upgrade process, a status meter displays the percent completed of the firmware package to the device being upgraded. In additionm if you attempt to exit the **Device Information** screen an error message is displayed until all selected devices are fully upgraded.


7.7 License

All licenses (for example, device, PIN pad, MSR, workstation, and so on) are loaded into TRISM in this window.

- On the main menu, click the **Personal icon** > **Help** > **License**.
- Click **Browse** to navigate to the license file.
- Click **OK**.



- Click **Save PIK**.



7.8 System Status

Displays the **Version**, **Start Time**, **Last Update Time**, and **Last Status Time** of each service.

On the main menu, click the **Personal icon** > **Help** > **System Status**.

Service	Version	Start Time	Last Update Time	Last Status
Calculation Service	7.0.2.38	2/13/2025 1:50:35 PM	2/18/2025 9:32:02 AM	Processing
Card Printer Service	7.0.4300.8	12/6/2024 1:49:00 PM	12/24/2024 10:00:55 AM	Ready
Portico	7.0.4200.6	10/23/2024 3:33:06 PM	10/23/2024 3:33:06 PM	Ready
Linkit	7.0.0.86	10/1/2024 8:19:59 AM	10/1/2024 8:19:59 AM	Starting
StarNE	7.0.4100.5	10/1/2024 10:35:17 AM	10/1/2024 10:35:17 AM	Ready
Card Services	7.0.1.37	12/12/2024 10:23:29 PM	1/16/2025 9:27:21 PM	Ready
PPC Collector	7.0.4200.25	11/18/2024 1:38:34 PM	11/18/2024 1:38:34 PM	Starting
CUAnswers	7.0.3400.1	12/12/2024 10:23:34 PM	1/16/2025 9:50:12 PM	Ready
Java Integration Service	7.0.4200.2	10/23/2024 3:33:49 PM	10/23/2024 3:33:49 PM	Starting
HID Flex Integration Service	7.0.4100.2	10/1/2024 10:34:39 AM	10/1/2024 10:34:39 AM	Starting
Omaha Mq	6.2.14.0	11/19/2024 8:38:39 AM	11/19/2024 8:38:39 AM	Starting

Delete
OK

- Green:** status table in database is running.
- Red:** status table has not been updated for five minutes. Red status does not indicate that the service is down.

Appendix **A**

Reference

A.1 System requirements

A typical TRISM installation consists of a server or virtual machine (Host) and one or more workstations. A dedicated server or VM is strongly recommended to prevent network downtime, as aspects of installation, setup, configuration, and updates may require system reboots. The server must be provided by the financial institution. The hardware and software requirements for TRISM installations are listed in the following table.

	Server (Host)	Workstation (Client)
Minimum processor speed	2.0 GHz	2.0 GHz
Minimum available RAM	16 GB	4 GB
Available hard disk space	50 GB	10 GB
Video resolution	SVGA (1024 × 768)	SVGA (1024 × 768)
Operating system	Microsoft Windows 2019, 2022	Microsoft Windows 11
Database software	Microsoft SQL Server 2017, 2019, 2022 Standard Express, or Enterprise	N/A

Note:

- A dedicated server or virtual server with a dedicated SQL Server instance is strongly recommended. High volumes of printers or mixed printer environments or embossers may require additional print servers.
- It is recommended to use the Standard or Enterprise edition of SQL Server in an environment containing 25 or more branches.

A.2 Card layouts

Refer to the following guidelines when setting up card formats.

Card Layouts	
Card size	3 3/8" × 2 1/8"
Bleed	1/8" optimal; 3/32" minimum
Clearance	Text/logos at least 3/32" from edge of card, brand marks, magnetic stripe, EMV chip, or signature panel
Visa Specifications	
Visa brand mark	9.75 mm × 20.5 mm
Distance from right of brand mark to right edge of card	2 mm
Distance from bottom of brand mark to bottom edge of card	2 mm
MasterCard Specifications	
MasterCard brand mark	11.3 mm × 19.25 mm
Distance from right of brand mark to right edge of card	2 mm
Distance from bottom of brand mark to bottom edge of card	3 mm
Custom Images	
Image file type	.jpeg, .bmp
Aspect ratio	3:2
Minimum resolution	1015 × 640

A.3 Custom image guidelines

Your financial institution reserves the right to determine, in its sole discretion, whether a submitted image is accepted or rejected. All images submitted must have the consent of the owner including those images downloaded from the internet.

Any images that contain the following items are not accepted:

- Company names, logos, slogans, third party brands, trademarks, copyrighted items, or any image which may be protected by trademark or copyright.
- Professional athletes, politicians, celebrities, public figures (excluding permission-based photos of you, your family members, or friends photographed with a famous person).
- Depictions of illegal activities or otherwise inappropriate behavior.
- Addresses, phone numbers, social security numbers or other personal identification numbers, URL addresses.
- Items that may be considered obscene, offensive, indecent, provocative, nude, semi-nude, lewd, or otherwise inappropriate images, including profanity.
- Political affiliations or other socially sensitive images.
- Racially sensitive material.
- Artwork which was created by a third party for which you have not obtained permission from the owner to use.
- Cartoon or other characters for which express permissions have not been obtained. This includes images that you have not created and do not have permission to use.
- Any other image which is deemed unacceptable and reflects negatively on the branding message of your financial institution.

A.4 Permission descriptions

A.4.1 Security

Permission	Description
Template Security Level	Determines if you can reset a user's password when you have the Add User permission or locks the account if you have the Edit User permission.
Edit Security Template (Add/Edit/Delete)	Allows you to add, edit, or delete templates.
Edit Security Permissions	Allows you to edit a template. This is specifically for modifying the templates without having the ability to add or remove the templates.
View All Branches	Allows you to access all branches even if the system is configured to only show your branch. This is useful for users who float.
License File	Allows you to see the License Section and allows you to add/update the licenses with the supplied file.
Reset Other User Passwords	Allows you to reset other user's passwords. Note: This does not apply to systems configured with Active Directory.
Import Configuration	Allows you to import a saved configuration file.
Export Configuration	Allows you to export and save a configuration file to import later.
View Regional Branches (Regional Queue)	Allows you to access regional branches even if the system is configured to only show your branch. This is useful for users who float.

A.4.2 Order cards

Permission	Description
View Order Card	Allows you to access the Order Card option from the Request menu on the main toolbar and to access the Order Card button on the quick launch toolbar.
View Actions	Allows you to access the Request menu on the main toolbar.
Edit Permissions	Allows you to access the Request > Edit Permissions option on the main toolbar.
RePIN a Card	With PIN Verification: Allows you to see the Request > Re-PIN option. Override: No longer used. Enforce Card: Allows you to see the Re-PIN screen. Card must be swiped to re-PIN. Re-PIN is not possible if card is not present.
Order Card Express	Order Card screen opens automatically upon log in.
PIN Mailer Only	Allows you to access the Request > PIN Mailer option on the main toolbar.
Print Transaction Report	Allows you to access the Transactional Print screen when you successfully order a card. The Transactional Report is a sign off sheet the customer signs to state they had a card made. Many financial institutions do not use this or have their own.
Hide Customer Info on Transaction Report	Allows you to access the Print Transactional Report option to mask the customer data on the report. This is for security.
Read a Card	Allows you to access the Request > Read a Card option on the main toolbar.
CVV2 Calculator	Allows you to access the Request > CVV2 Calculator option on the main toolbar.
Auto Select First Card Status	Allows you to have the Card Status in Order Card to automatically be populated with the first option. This is for improved automation.

A.4.3 Queue

Permission	Description
View Queue	Allows you to access the Queue menu on the main toolbar and to access the Queue button on the quick launch toolbar.
Edit Card	Allows you to edit card records in the Queue.
Delete Cards	Allows you to delete card records in the Queue.
Delete from any Branch	Allows you to delete cards from other branches and requires you to have the View All Branches permission.
Purge Queue Requests	Allows you to access the Purge Queue Request button on the quick launch toolbar to delete all pending queue requests. This is used to troubleshoot systems that have a lot of traffic in the queue.

A.4.4 Reports

Permission	Description
View Reports	Allows you to access the Reports menu from the main toolbar and the Reports button on the quick launch toolbar.
View Local Reports	Allows you to see the predefined reports as well as custom reports that have been saved.

Permission	Description
Run End of Day Reports	Allows you to access the End of Day option in the Reports menu of the main toolbar and the End of Day button on the quick launch toolbar.
Use Classic View	Allows you to view the End of Day report in the classic format. This is the default view.
Run End of Day Reports	User: Allows you to run the End of Day report in user mode. This report displays individual branch options only. Admin: Allows you to run the End of Day report in Admin mode which shows all branches and formats.
Show Mask Card Number	Shows masked card numbers through the entire TRISM system. This does not include some logs that have this data.
Force EOD Masked Card Number	Allows you to have all card numbers on the end of day report masked. This is for security.
View Non-Financial Reports	Allows you to have access to the Non-Financial report in the Reports menu of the main toolbar.
View Individual Reports	Allows you to access the Management Reports Section that allows you to save/load reports created by the financial institution.
View Existing Reports	Allows you to see the Historical Card Balance Report in the Reports menu of the main toolbar.
Print Reports	Allows you to print reports.
View Data Log	Allows you to access the Data Log option in the Help menu of the main toolbar.
View Error Log	Allows you to access the Error Log option in the Help menu of the main toolbar.
View Client Information	Allows you to access the Client Information option in the Help menu of the main toolbar.
Device Access	Allows you to access the Device Access report in the Reports menu of the main toolbar.
Vault Supply	Allows you to access the Vault Supply Tracking report in the Reports menu of the main toolbar.
Device Error	Allows you to access the Device Error report in the Reports menu of the main toolbar.
Spoiled Card	Allows you to access the Spoiled Card report in the Reports menu of the main toolbar.
Spoiled Card For all Branches	Allows you to access the Spoiled Card report with all branches available in the Reports menu of the main toolbar.
Branch Activity	Allows you to access the Branch Activity report in the Reports menu of the main toolbar.
Device Access Report (CardStock)	Allows you to access the Device Access report from the Profile > Reports menu.
Background	Allows you to have access to the Background report from the Profile > Reports menu.
Historical Transfers	Allows you to have access to the Historical Transfers report from the Profile > Reports menu.
Historical Vault	Allows you to have access to the Historical Vault report from the Profile > Reports menu.
Historical Central Vault	Allows you to have access to the Historical Central Vault report from the Profile > Reports menu.
Customer Removal	Allows you to have access to the Customer Removal tool from the Profile > Reports menu.
Device Cleaning Report	Allows you to have access to the Device Cleaning Report from the Profile > Reports menu.

A.4.5 Inventory

Permission	Description
View Inventory	Allows you to access the Profile > Inventory menu.
Device Unlock	Allows you to access the Device Unlock function (card add and removal) from the Profile > Inventory menu.
View Card Stock	No longer used.
View Vault Inventory	Allows you to access the Inventory > Vault Inventory option from the Profile > Inventory menu. Central View: Allows you to access the left side of the Vaults which contain all the Central Vaults in the Vault Inventory screen. • Central Admin: Allows you to access the CardStock options (add, edit, or remove) and allows you to Send Transfers. This also allows you to add more Central Vaults. • Central User: Allows you to have access to Central Branch Transfers in the transfers section of the Vault Inventory screen. Branch View: Allows you to view the right side of the Vaults which contain Branch Level Vaults in the Vault Inventory screen.
View all Vaults	Allows you to view all vaults in the Vault Access screen.
Show Alerts (Notifications)	Ribbon/Film Alert: Allows you to be notified once the film or ribbon has fallen below a certain percentage. Cardstock Alert: Allows you to get notified once the cardstock inventory amount drops below a given value.

A.4.6 Configure

Permission	Description
View Settings	Allows the user to access the Configure option on the main toolbar
User Editing	Add User: Allows you to access the Add User button in the User section of the Configuration screen. Edit User: Allows you to access the Edit User button in the User section of the Configuration screen. Delete User: Allows you to access the Delete User button in the User section of the Configuration screen.
Card Stock	Add: Allows you to add cardstock to vaults in the Vault Inventory screen. Delete: Allows you to delete cardstock to vaults in the Vault Inventory screen. Edit: Allows you to edit cardstock to vaults in the Vault Inventory screen. Rename: No longer used. Process: No longer in used.
General Edit	Allows you access to the General option on the left side of the Configuration screen.
User Editing	Allows you access to the Users option on the left side of the Configuration screen.
Template Editing	Allows you access to the Templates option on the left side of the Configuration screen.
Format Editing	Allows you access to the Formats option on the left side of the Configuration screen.
Device Editing	Allows you access to the Devices option on the left side of the Configuration screen.
Active Directory Edit	Allows you access to the Active Directory option on the left side of the Configuration screen.
Interface Editing	Allows you access to the Interfaces option on the left side of the Configuration screen.
CardStock Editing	Allows you access to the CardStock option on the left side of the Configuration screen.
Branch Editing	Allows you access to the Branches option on the left side of the Configuration screen. Add: Allows you to add branches in the Branch section of the Configuration screen. Edit: Allows you to edit branches in the Branch section of the Configuration screen. Delete: Allows you to delete branches in the Branch section of the Configuration screen.
Printers	Add: Allows you to add printers in the Devices section of the Configuration screen. Edit: Allows you to edit printers in the Devices section of the Configuration screen. Remove: Allows you to remove printers in the Devices section of the Configuration screen.
Formats	Add: Allows you to add formats in the Formats section of the Configuration screen. Edit: Allows you to edit formats in the Formats section of the Configuration screen. Remove: Allows you to remove formats in the Formats section of the Configuration screen.
Show Healthbar	Allows you to see the red and green status lights in the main toolbar.
Show System Status Table	Allows you to access the Help > System Status option of the main toolbar.
Crystal Reports Editing	Allows you to enable or disable Crystal Reports licensing when used in a Citrix, Terminal Services, or VDI environment.



Permission	Description
Region Editing	Allows you to add, remove, or edit regions. Branches can be set to belong to certain regions. View all Branches option in the Security tab must not be selected to use this option. Add: Allows you to add new regions. Edit: Allows you to edit existing Region(s): • Region name • Branches in region - add/remove Delete: Allows you to delete Regions.

Appendix **B**

TRISM Monitor Service

B.1 Introduction

The TRISM Monitor Service is designed to be the “heartbeat” of the HID service modules. This service sends notification emails when TRISM modules, such as HSM cores or interface services, become unresponsive.

TRISM Monitor Service monitors the communication between the individual HID service modules and the SQL database. This gives you peace of mind knowing that if a HID-level service stops working, an email defining the current state of all HID services is delivered.

The logic implemented polls the SQL database every minute for service activity. If there has been no response from any service during a specified time, an email is generated letting the user-specified recipient know that there has been a change to the services status. The monitoring time is configurable to meet each unique environment's needs via the TRISM Client Interface settings option.

The easy-to-setup email template uses an efficient format, which allows for a quick determination of what monitored services are up and what services may be down. Every time a change in service has been identified by the TRISM Monitor Service, the email content shows the current status of all services, so no guesswork is required.

```
TRISM Module Status:  
HID Card Printer Service 4.0 - UP HID Calculation Service - DOWN Core1 - DOWN  
Core2 - DOWN  
Card Service - DOWN
```

B.2 HID TRISM Monitor Service configuration

To configure the HID TRISM Monitor Service, ensure you have the required information and follow the listed steps.

B.2.1 Required information

- Host address: example – smtp.gmail.com
- Host Port: example - 123
- TRISM Monitor License: Obtain the license and installation instructions from HID via email.

B.2.2 Configuration

To install the TRISM Monitor License, do the following:

1. Log in to TRISM Client and navigate to **Personal icon > Configure > Interfaces > Interface Settings > Interface** drop-down menu > **HID TRISM Monitor**.

Interface

HID TRISM Monitor

Setting	Value
AlertAfterMinutesDown	10
CustomAddCardStatus	
CustomReIssueCardStatus	
EmailHostAddress	smtp.us.hidglobal.com
EmailHostPort	25
EnableSSL	N
IsCore	N
LOGLEVEL	0
Monitor Calculation Service	N

2. Enter the following information:

AlertAfterMinutesDown - The number of minutes after the service has stopped to send an alert

EmailHostAddress - The email address of the host.

EmailHostPort - The port number of the host.
3. Enter **Y** for all the services you want to monitor (**Card Printer Service, Calculation Service**, and so on.)

Interface

HID TRISM Monitor

Setting	Value
Monitor StarNE	N
Monitor SymXchange	N
Monitor TRISM API Service	N
Monitor UltraData	N
Monitor VisaDPS	N
Recipients	your.email@hidglobal.com
SenderAddress	your.email@hidglobal.com
SenderName	Trism Monitor

4. Enter the following information:

Recipients - enter the email address to receive service alerts. To specify multiple email addresses, separate each with a comma.

SenderAddress - enter the email address used to send the service alerts.
5. Click **Save**.
6. Restart the TRISM Monitor Service to apply the new settings.

B.3 Settings

Installing and starting the service adds several settings in the **Personal icon > Configure > Interfaces > Interface Settings > Interface** drop-down menu > **HID TRISM Monitor**:

Interface setting	Description
EmailHostAddress	The hostname or IP address of the server used to send email.
EmailHostPort	The port on which the email server is listening.
EnableSSL	Enables Secure Sockets Layer (SSL) connections.
SenderName	The sender's name that is displayed in all outgoing email.
SenderAddress	The sender's email address that is displayed in all outgoing email.
Recipients	The recipient's email addresses (separate multiple addresses with commas).
Monitor "Service Name"	Enables monitoring of the selected Service Module.
AlertAfterMinutesDown	Sets how long to wait before sending an email once an unresponsive service is detected. Default 10 minutes. Minimum value = 1 minute, maximum value = 60.

Revision history

Date	Description	Revision
February 2026	Adds a subsection on inventory management of manually fed cards.	A.4
December 2025	Updates HID TRISM Monitor Service configuration settings.	A.3
August 2025	Corrects HID TRISM Monitor Service settings.	A.2
July 2025	Adds updates to software version 7.x.	A.1
June 2024	Initial release.	A.0



hidglobal.com

For technical support, please visit: <https://support.hidglobal.com>

© 2026 HID Global Corporation/ASSA ABLOY AB.

All rights reserved.

PLT-07642, Rev. A.4

Part of ASSA ABLOY